
	SRI DEVARAJ URS ACADEMY OF HIGHER EDUCATION & RESEARCH SRI DEVARAJ URS MEDICAL COLLEGE Tamaka, Kolar	
	Fluorosis Research and Referral Laboratory A Centre of Excellence Recognized by SDUAHER No. SDUAHER/KLR/ADMN/330/2020-21 dated 14.10.2020 Department of Biochemistry	

No. DMC/KLR/BIO/FRRL/357/2022-23

Date: 02-01-2023

From,
 Dr. Shashidhar KN
 Prof. and HoD
 Department of Biochemistry
 SDUMC

To,
 The Registrar
 SDUAHER
 Kolar

Through Principal

Sir,

Sub: Report of the water fluoride estimation in drinking and cooking water


With reference to the subject mentioned, as an extension activity from FRRL, I am herewith submitting the water fluoride values of the water samples collected from women's hostel.


The results are as under

Sl. No	Name of the Hostel	Fluoride level (ppm)
1.	Nursing hostel (RO water)	0.350
2.	AHS Women's hostel (Drinking water)	0.052
3.	UG Women's hostel (Drinking water)	0.054
4.	Nursing college (Drinking water)	0.053
5.	PG Women's hostel (Drinking water)	0.057
6.	Women's mess	0.083
7.	Women's guest room	0.749

Report: Water quality passed and fit for drinking and cooking



Thanking you


 Professor and HoD
Professor & Head
 Department of Biochemistry
 Sri Devaraj Urs Medical College
 Tamaka, KOLAR-563103


 Gayathri
 IQAC AQAR-III
 Sri Devaraj Urs College of Nursing
 Tamaka, Kolar-563101.


 Principal
 Sri Devaraj Urs College of Nursing
 Tamaka, Kolar-563103

08152-210604, 210605, extn:110

	SRI DEVARAJ URS ACADEMY OF HIGHER EDUCATION & RESEARCH SRI DEVARAJ URS MEDICAL COLLEGE Tamaka, Kolar	
	Fluorosis Research and Referral Laboratory A Centre of Excellence Recognized by SDUAHER No. SDUAHER/KLR/ADMN/330/2020-21 dated 14.10.2020 Department of Biochemistry	

No. DMC/KLR/BIO/FRRL/42/2022-23

Date: 30-01-2023

From,
 Dr. Shashidhar KN
 Prof. and HoD
 Department of Biochemistry
 SDUMC

To,
 The Registrar
 SDUAHER
 Kolar

Through Principal

Sir,

Sub: Report of the water fluoride estimation in drinking and cooking water

With reference to the subject mentioned, as an extension activity from FRRL, I am herewith submitting the water fluoride values of the water samples collected from women's hostel.

The results are as under

Sl No	Name of the Hostel	Fluoride level (ppm)
1.	Nursing hostel (RO water)	0.085
2.	AHS Women's hostel (Drinking water)	0.046
3.	UG Women's hostel (Drinking water)	0.043
4.	Nursing college (Drinking water)	0.083
5.	PG Women's hostel (Drinking water)	0.082
6.	Women's mess	0.036
7.	Women's guest room	0.041

Report: Water quality passed and fit for drinking and cooking

Thanking you

Gayathree
 IQAC - AAR-II

Sri Devaraj Urs College of Nursing
 Tamaka, Kolar-563101

[Signature]
 01/02/23

Principal
 Trilsduaher@gmail.com



Sri Devaraj Urs College of Nursing
 Tamaka, Kolar-563103

[Signature]
 Professor and HoD
 Department of Biochemistry
 Sri Devaraj Urs Medical College
 Tamaka, KOLAR-563103

[Signature]
 Principal

© 08152-210604, 210605, extn:110

Sri Devaraj Urs College of Nursing
 Tamaka, Kolar-563103

	SRI DEVARAJ URS ACADEMY OF HIGHER EDUCATION & RESEARCH SRI DEVARAJ URS MEDICAL COLLEGE Tamaka, Kolar	
	Fluorosis Research and Referral Laboratory A Centre of Excellence Recognized by SDUAHER No. SDUAHER/KLR/ADMN/330/2020-21 dated 14.10.2020 Department of Biochemistry	

No. DMC/KLR/BIO/FRRL/S1/2022-23

Date: 04-03-2023

From,
 Dr. Shashidhar KN
 Prof. and HoD
 Department of Biochemistry
 SDUMC

To,
 The Registrar
 SDUAHER
 Kolar

Through Principal

Sir,

Sub: Report of the water fluoride estimation in drinking and cooking water
 With reference to the subject mentioned, as an extension activity from FRRL, I am herewith submitting the water fluoride values of the water samples collected from women's hostel.
 The results are as under

Sl. No	Name of the Hostel	Fluoride level (ppm)
1.	Nursing hostel (RO water)	0.051
2.	AHS Women's hostel (Drinking water)	0.034
3.	UG Women's hostel (Drinking water)	0.022
4.	Nursing college (Drinking water)	0.012
5.	PG Women's hostel (Drinking water)	0.061
6.	Women's mess	0.010
7.	Women's guest room	0.053

Report: Water quality passed and fit for drinking and cooking

Thanking you

Gayathri
 IQAC AAR-II

Sri Devaraj Urs College of Nursing
 Tamaka, Kolar-563101.

[Signature]
 04/03/23

[Signature]

Principal

Sri Devaraj Urs College of Nursing
 frrlsduaher@gmail.com
 Tamaka, Kolar-563103

[Signature]

Professor and HoD
 Department of Biochemistry
 Sri Devaraj Urs Medical College
 Tamaka, KOLAR-563101

08152-389903
 10605, extn:110



SRI DEVARAJ URS ACADEMY OF HIGHER EDUCATION &
RESEARCH
SRI DEVARAJ URS MEDICAL COLLEGE
Tamaka, Kolar



Fluorosis Research and Referral Laboratory
A Centre of Excellence Recognized by SDUAHER
No. SDUAHER/KLR/ADMN/330/2020-21 dated 14.10.2020
Department of Biochemistry

No. DMC/KLR/BIO/FRRL/19/2023-24

Date: 05-07-2023

From,

Dr. Shashidhar KN

Prof. and HoD

Department of Biochemistry

SDUMC

To,

The Registrar

SDUAHER

Kolar

Through Principal

Sir,

Sub: Report of the water fluoride estimation in drinking and cooking water

With reference to the subject mentioned, as an extension activity from FRRL, I am herewith submitting the water fluoride values of the water samples collected from women's hostel.

The results are as under

Sl. No	Name of the Hostel	Fluoride level (ppm)
1.	Nursing hostel (RO water)	0.028
2.	AHS Women's hostel (Drinking water)	0.017
3.	UG Women's hostel (Drinking water)	0.013
4.	Nursing College (Drinking water)	0.021
5.	PG Women's hostel (Drinking water)	0.011
6.	Women's mess	0.015
7.	Women's guest room	0.029

Report: Water quality passed and fit for drinking and cooking

Thanking you

Gayathri
IQAC AAR-1

Sri Devaraj Urs College of Nursing
Tamaka, Kolar-563101

Professor and HoD
Principal, Department of Biochemistry
Sri Devaraj Urs College of Nursing
Tamaka, Kolar-563103



SRI DEVARAJ URS ACADEMY OF HIGHER EDUCATION & RESEARCH
SRI DEVARAJ URS MEDICAL COLLEGE
Tamaka, Kolar



Fluorosis Research and Referral Laboratory
A Centre of Excellence Recognized by SDUAHER
No. SDUAHER/KLR/ADMN/330/2020-21 dated 14.10.2020
Department of Biochemistry

No. DMC/KLR/BIO/FRRL/59/2023-24

Date: 11-11-2023

From,
Dr. Shashidhar KN
Professor
Department of Biochemistry
SDUMC

To,
The Registrar
SDUAHER
Kolar

Through Principal

Sir,

Sub: Report of the water fluoride estimation in drinking and cooking water


With reference to the subject mentioned, as an extension activity from FRRL, I am herewith submitting the water fluoride values of the water samples collected from women's hostel.


The results are as under

Sl. No	Name of the Hostel	Fluoride level (ppm)
1.	Nursing hostel (RO water)	0.136
2.	AHS Women's hostel (Drinking water)	Sample not received
3.	UG Women's hostel (Drinking water)	0.112
4.	Nursing College -1	0.134
5.	Nursing College-2	0.126
6.	PG Women's hostel (Drinking water)	0.13
7.	Women's mess	0.11
8.	Women's guest room	Sample not received

Report: Water quality passed and fit for drinking and cooking

Thanking you


GAYATHRI
QAC AQAR-III
Sri Devaraj Urs College of Nursing
Tamaka, Kolar-563101.


Professor
Department of Biochemistry
Sri Devaraj Urs Medical College
Principal Tamaka, KOLAR-563103
Sri Devaraj Urs College of Nursing
frrlsduher@gmail.com, Kolar-563101, 210605, extn:110



SRI DEVARAJ URS ACADEMY OF HIGHER EDUCATION AND RESEARCH
(A DEEMED TO BE UNIVERSITY)

Declared under Section 3 of UGC Act, 1956, MHRD GOI No.F.9-36/2006-U.3(A) Dt. 25th May 2007
Post Box No. 62, Tamaka, Kolar - 563 103, Karnataka, INDIA

Ph: 08152- 243244,243003, Fax : 08152 - 243008 E-mail - registrar@sduu.ac.in/office@sduu.ac.in Website: www.sduu.ac.in

SDUAHER/KLR/PUR/P-10/2023-24 purchasesection@sduaher.ac.in Date: 02nd November, 2023.

To
Meera Environment Private Limited.,
BVR Lake Front, Site No. 1-4, Nagavara,
A.C College Post, Opp. Indian Oil petrol Bunk.
Bangalore - 560045 Mobile: 9900033941 / 9686204578 / 8105525559
Email: info@meeraenvirotech.com / metbmw@gmail.com

Dear Sir,

SERVICE ORDER

Sub: Service order for **COLLECTION, TRANSPORTATION, TREATMENT AND DISPOSAL OF BIO MEDICAL WASTE IN RLJH & RC**

Ref:- Dated : 25th August, 2023 at 1.52 PM

1. The academy has placing the service contract agreement letter towards the collection, transportation and treatment and disposal of Bio Medical Waste in RLJH & RC hospital.
2. The commercial terms as under :-

Sl.No	Description	Per Month Charges
1	Bio medical waste collection, transportation, treatment and disposal in our hospital and college as per the norms of 2019 biomedical waste disposal guidelines. For 1000 beds	Rs. 1,35,000/- Per Month Charges (Rupees One Lakh Thirty five thousand only) + GST 12 % is applicable

3. Consumable part as under :-

- i. Poly Bags (22 X 30) Size 160 GSM - Green color for Rs. 5.00/- + GST
- ii. Poly Bags (22 X 30) Size 160 GSM - Yellow color for Rs. 5.00/- + GST
- iii. Poly Bags (22 X 30) Size 160 GSM - Red color for Rs. 5.00/- + GST
- iv. Poly Bags (22 X 30) Size 160 GSM - Blue color for Rs. 5.00/- + GST
- v. Bar code stickers L-48 size (48 Labels per sheet) for Rs. 0.75 /- + GST.
- vi. Printing charts of 100 Nos will be free has to supply.
- vii. Contract duration : One year
- viii. The release of monthly bill amount subject to VERIFICATION from the concerned Housekeeping and competent authority.
- ix. As per the MOU the Other terms and Conditions as applicable.

Business or Company Name	Institution Name
Complete Company Name	Sri Devaraj Urs Academy of Higher Education & Research.
Complete Shipping address (Server Location with GST no. with PAN number)	Sri Devaraj Urs Academy of Higher Education & Research. KOLAR - 563103 GST NO. :- 29AAATS5344P1ZT PAN : AAATS5344P
Complete Billing address with GST No. with PAN number	The Registrar, Sri Devaraj Urs Academy of Higher Education & Research. KOLAR - 563103 GST NO. :- 29AAATS5344P1ZT PAN : AAATS5344P
Contact Person Name	ZEANATH CARIENA JOSEPH
Contact Person Number	9880609853
Contact Person email id	cno@sduaher.ac.in

Work related to BMW for Hospital

Gayathri
IOAC AQAR-21

Sri Devaraj Urs College of Nursing
Tamaka, Kolar-563101.

[Signature]
Principal

Sri Devaraj Urs College of Nursing
Tamaka, Kolar-563103

[Signature]
Purchase officer
Sri Devaraj Urs Academy of
Higher Education & Research
Tamaka, Kolar