




INDIA NON JUDICIAL

Government of Karnataka

e-Stamp

Certificate No. : IN-KA51049563238253V
Certificate Issued Date : 24-Nov-2023 02:21 PM
Account Reference : NONACC (FI)/ kaksfcl08/ KOLAR/ KA-KO
Unique Doc. Reference : SUBIN-KAKAKSFCL0870473652618903V
Purchased by : MEERA ENVIROTECH PVT LTD KOLAR
Description of Document : Article 12 Bond
Description : AGREEMENT
Consideration Price (Rs.) : 0
(Zero)
First Party : MEERA ENVIROTECH PVT LTD KOLAR
Second Party : SDUAHER TAMAKA KOLAR
Stamp Duty Paid By : MEERA ENVIROTECH PVT LTD KOLAR
Stamp Duty Amount(Rs.) : 100
(One Hundred only)


Sri Sai Souharda Credit
Co-op. Society Ltd.
Opp. B.E.O. Office,
Doddapet, Kolar-563 101.



Gayathre
IQAC AQAR-III


BIO-MEDICAL WASTE (HANDLING AND MANAGEMENT) AGREEMENT


MEERA ENVIROTECH PVT. LTD. having its registered office at BVR Lake Front Site No.1-4 Veerannapalya Main Road, Nagavara, A. College Post, Opp: Indian Oil Petrol Bunk, Bangalore – 560045, Plant Address: Sy.No.204, Haleri Cross, Sugatur Hobli, Kolar Taluk, Kolar District – 563102, PAN No.AANCE5938B, GST No. 29AANC55938B1Z0, and owning a Common Treatment Facility for treating and disposing Solid Bio-Medical Waste, herein after referred to as the OPERATOR, and, THE REGISTRAR SRI DEVARAJ URS ACADEMY OF HIGHER EDUCATION AND RESEARCH CENTRE, Tamaka, Kolar - 563103, herein after referred to as the R.L JALAPPA HOSPITAL & RESEARCH CENTRE, agree to come to the Memorandum of Understanding on the 11th Day of November, 2023

as detailed below:




Medical Superintendent
Sri Devaraj Urs Academy of Higher Education & Research Centre
Tamaka, Kolar - 563103


Purchase officer
Sri Devaraj Urs Academy of
Higher Education & Research Centre
Tamaka, Kolar - 563103


Principal
Sri Devaraj Urs College of Nursing
Tamaka, Kolar - 563103
Registrar
Sri Devaraj Urs Academy of Higher Education & Research Centre
Tamaka, Kolar - 563103

- The Operator, having the Consent Ref No. **AW-325232** from Karnataka State Pollution Control Board, shall run the Common Treatment facility to treat and dispose the Bio-Medical Waste produced by the **R.L. Jalappa Hospital & Research Centre**. The facility consists of Bio-Medical Waste treatment equipment's including Incinerator, autoclave and low speed shredders as per the CPCB norms.
- R.L. Jalappa Hospital & Research Centre** shall hand over the Solid Bio-Medical Waste to the Operator at a single collection point within the health care facility only after meticulously segregating and packing in the respective color-coded bags as per the Bio-Medical Waste (Handling and Management) Rules, 2016 Guidelines amended in 2018 & 2019; for the treatment and disposal. The Operator has the right to refuse the collection of unsegregated Bio-Medical Waste in the interest of waste handling personnel of the Common Treatment Facility. In case of any amputated body parts, the hospital must properly pack the same in yellow bags only and the **R.L. Jalappa Hospital & Research Centre** must give a 'declaration letter' regarding the amputation, failing which, the Operator shall not collect the waste.
- R.L. Jalappa Hospital & Research Centre** has a total of 1000 beds in the health care establishment as per the records submitted to the Dept. of Health and Family Welfare under the Karnataka Private Medical Establishments Act / Authorization with the Karnataka State Pollution Control Board to run the establishment. This information is considered for fixing the price payable to the Operator. However, if the number of beds as per actual at any given time is more than that of the furnished information, the price charged shall be on the basis of actual beds present in the health care facility.
- Payment for Service charges & Poly Covers of Bio-Medical Waste Management in Favour Of M/s. Meera Envirotech Pvt Ltd.**

Sl No.	Description	Period	Per Month Charges
1	Collection, Transportation, Treatment and final disposal of Bio medical waste from your hospital/College as per norms of 2016 Bio Medical waste disposal guidelines for 1000 bedded Hospital. The rates are applicable for 1 Year	11/11/2023 to 10/11/2024	1,35,000/- + GST 12%

Sl No	Description	Qty	UOM	Rate Per Bag	GST
1	Polythene Bags (50Micron) Yellow -30 Ltrs Capacity 22X30	2500	No's	8.00	Including 18% GST
2	Polythene Bags (75Micron) Yellow -60 Ltrs Capacity 30X40	1000	No's	14.00	Including 18% GST
3	Polythene Bags (50Micron) Red - 30 Ltrs Capacity 22X30	2500	No's	8.00	Including 18% GST
4	Polythene Bags (75Micron) Red-60 Ltrs Capacity 30X40	1000	No's	14.00	Including 18% GST
5	Polythene Bags (75Micron) Yellow -60 Ltrs Capacity 30X40 with Cytotoxic Symbol	1000	No's	14.00	Including 18% GST
6	Barcode Stickers (All Colours) as per requirement	8000	No's	0.75	Plus 18% GST

R.L. Jalappa Hospital & Research Centre shall not enter into a parallel contract with any other Operator during the contract period.



Medical Superintendent
R.L. Jalappa Hospital & Research Centre
Kolar-563103

Purchase officer

Sri Devaraj Urs College of Nursing
Tanaka, Kolar-563103

Registrar
Devaraj Urs Academy of Health Sciences
Kolar-563103


6. R.L Jalappa Hospital & Research Centre shall ensure timely payment to the Operator on or before 5th of every month. In case of non-receipt of the payment, the Operator shall stop the collection of waste and immediately intimate the Karnataka State Pollution Control Board. The delayed payments shall be recovered / collected with an interest @ 05% p.a.
7. The Operator shall collect the Bio-Medical Waste Regularly on time on every day of the week except on Sundays and treat the wastes as per the stipulated guidelines. The Operator shall not be responsible in case the hospital / clinic is not open at the time of collection. In case of frequent repetitions of such situations, an alternate solution has to be arranged by the R.L Jalappa Hospital & Research Centre. The Operator shall strictly not collect any general garbage / municipal solid waste.
8. A Destruction Certificate shall be issued by the Operator to the R.L Jalappa Hospital & Research Centre periodically certifying that the Bio-Medical Waste produced by the R.L Jalappa Hospital & Research Centre is treated and disposed. This will help the R.L Jalappa Hospital & Research Centre with the Karnataka State Pollution Control Board's compliance requirement to run the health care facility. The individual health care facility / R.L Jalappa Hospital & Research Centre can take the Authorization from the Karnataka State Pollution Control Board by informing them that their waste is collected and treated by M/s Meera Envirotech Pvt. Ltd. The same shall be mentioned in the Authorization form.
9. In case the R.L Jalappa Hospital & Research Centre finds any irregularities in collection of waste, they may intimate the Operator for immediate action.
10. In case of violation of any of the agreed conditions of this MOU, either the Operator or the R.L Jalappa Hospital & Research Centre may issue a two months' notice to terminate this arrangement.
11. Ensure occupational safety of all its health care workers and others involved in handling of Bio Medical waste by providing appropriate and adequate personal protective equipment's.
12. Health checkup records to be submitted at least once in a year for all involved in handling of Bio Medical Waste
13. Bio-Medical Waste management records and displays the monthly records in the waste management room and details to be submitted along with invoices.
14. The authorized shall comply with the provisions of the Environment (Protection) Act,1986 and the rules made there under.
15. The Authorization or its renewal shall be produced for inspection at the request of an officer authorized by the prescribed authority.
16. The person authorized shall not rent, lend, sell, transfer or otherwise transport the bio Medical wastes without obtaining prior permission of the prescribed authority.


17. It is Mandatory to provide the BMW App in the name of R.L Jalappa Hospital & Research Centre & there must be a access for the institution for collection automation & Barcoding system.


Gayathri
IAAC AQAR-TU



Sri Devaraj Urs College of Higher Education, Kolar-563101. Sri Devaraj Urs College of Higher Education, Kolar-563101. Sri Devaraj Urs College of Higher Education, Kolar-563101.


R.L. Jalappa Hospital & Research Centre
Kolar-563103.

3

Purchase Officer
Sri Devaraj Urs Academy of Higher Education, Kolar-563101.


Registrar
Sri Devaraj Urs Academy of Higher Education, Kolar-563101.

18. This agreement valid from 11.11.2023 to 10.11.2024 and is renewable with mutual consent of both the parties.

All the disputes to this understanding are subject to the jurisdiction of courts in Bangalore only. All the points mentioned above shall have legal binding for a period of One year from the date of this agreement.

25.11.23.
Medical superintendent
RL. Jalappa Hospital & Research Centre
Tamaka, Kolar-563103.
RLH & RC


Executive Engineer
SDUAHER

Registrar
Meera Envirotech Pvt Ltd

Registrar
Sri Devaraj Urs Academy of Higher
Education and Research
SDUAHER - 563103
Director

Principal
Sri Devaraj Urs College of Nursing
Tamaka, Kolar-563103

Gayathri
IQAC AQAR-III
Sri Devaraj Urs College of Nursing
Tamaka, Kolar-563101.





Case file no.: KT-00018-INST

Date of Issue: 17/04/2023

Document no.: 23-SLA-927982

Sub: Approval for Site and Layout of Medical Accelerator installation

This has reference to your application no. 23-1077192 dated 20/03/2023 addressed to this Division for site and layout approval of Medical Accelerator installation. In exercise of the powers conferred under Section-16 of the Atomic Energy Act, 1962 read with Rule 3 of the Atomic Energy (Radiation Protection) Rules, 2004, the Atomic Energy Regulatory Board (AERB) hereby grants approval from the radiological safety view point, to MEDICAL SUPERINTENDENT, R. L. Jalappa Hospital & Research Centre, Kolar for site and layout of the Medical Accelerator installation at (Attached Sri Devaraj Urs Medical College), Tamaka, Kolar - 563101, Karnataka.

This approval is subject to the following conditions:

- 1) The layout of the facility is approved for Panacea Medical Technologies pvt ltd, SIDDHARTH-II SUPERIA, Medical Accelerator installation having nominal photon energy(ies) 6MV SF, 6MV LF, 6MV FFF MV.
- 2) The institution shall obtain any other necessary approvals from the concerned statutory authorities of the Central/State/Local authority as and when applicable.
- 3) Alteration(s)/Modification(s) in the approved layout plan shall not be carried out without prior permission from AERB.
- 4) The approved drawings shall be read in conjunction with Annexure-1(AERB/RSD/RT/Technote-Plan) as applicable.

DR. P. K. DASH SHARMA
Head, RSD

NB: The guidelines on various stages of regulatory clearances for radiotherapy institutions are available on our website www.aerb.gov.in

Encl: As Above

Gayathri
AOPR-03
IQAC

Sri Devaraj Urs College of Nursing
Tamaka, Kolar-563101.

Principal

Sri Devaraj Urs College of Nursing
Tamaka, Kolar-563103



Address: S R SHEELA
MEDICAL SUPERINTENDENT,
R. L. Jalappa Hospital & Research Centre
(Attached Sri Devaraj Urs Medical College),
Tumaka,
Kolar-563101
Karnataka

CC : MEDICAL SUPERINTENDENT
R. L. Jalappa Hospital & Research Centre
(Attached Sri Devaraj Urs Medical College),
Tumaka,
Kolar-563101
Karnataka

Gayatri
AQR-03

IQAC
Sri Devaraj Urs College of Nursing
Tumaka, Kolar-563101

Specifications for the Layout drawings approved for installation of Radiation therapy equipment

A. General Specifications

1. Concrete of density 2.35 gm/cc or more should be used as the construction material for the approved radiation therapy rooms. However, where structural requirement so demand, R.C.C. may be used.
2. The thickness of walls, floor and ceiling, shown in the approved drawing/s, are the minimum required from the radiation safety viewpoint.
3. A patient viewing system is essential. For this purpose a closed circuit TV system should be installed in the treatment room. Additional camera and monitor for the CC TV systems should be available as stand by.
4. A 5-7 cm diameter conduit should be provided in the wall common to the control room and treatment room as shown in the drawing to enable the cables of measuring instruments to pass through from control room to the treatment room. The conduit should be fixed in the control room wall at an angle between 20° and 45° to the horizontal. The lower end of the conduit should be located in the treatment room at a height between 15 cm to 20 cm from the finished floor level.
5. The door opening to the treatment room may be a single wooden door. The door should be so inter-locked to the control panel by electrical interlocks that the unit cannot be operated when the door is open.
6. In case central air-conditioning is to be provided in the radiation therapy room, the ducts for central air conditioning should be taken along the wall of the entrance door and left at the desired location without making any opening on any wall. However if it is proposed to install split Air conditioners, conduits of minimum diameter consistent with the requirement and making an angle between 20° to 45° with the horizontal should be provided. The opening of these conduits in the treatment room should be at a height about 1.5 m from the floor of treatment room. The details may be finalized in consultation with AC Engineers.
7. Red warning light should be provided above the treatment room door to indicate that the unit is in operation. The warning light above the door should be so inter-locked to the control panel that the light glows when the unit is in operation.
8. Other requirements like Electrical ducting, conduits for electrical openings, ramp of suitable slope for carrying unit crates, pit in the ground for radiation therapy unit load, air handling room, UPS unit etc., should be decided in consultation with the firm installing the radiation therapy unit before commencement of the actual construction work.
9. It may be necessary that some portion of the walls or ceiling be constructed after taking the crates carrying the parts of the unit into the room through the open portion. This, however, may be decided in consultation with the firm installing the unit.

Gayathri
AQAR-03
IQAC
Sri Devaraj Urs College of Nursing
Tumaka, Kolar-563101.


Principal
Sri Devaraj Urs College of Nursing
Tumaka, Kolar-563103

(1/1) SCALE 1:100

NOTE: ALL DIMENSIONS ARE IN METRE (M)

INDEX

CELL DOOR	LD	1.20 X 1.10
DOOR	D	1.00 X 2.10
	U	0.90 X 2.10
WINDOW	W	3.00 X 1.20
	W	1.80 X 2.10
	W	1.20 X 2.10
	W	1.50 X 2.10
VENTILATOR	V	0.60 X 0.45


AREA STATEMENT

STEP AREA	10411.50 SQM
GROUND FLOOR	3162.31 SQM
FIRST FLOOR	3154.54 SQM
SECOND FLOOR	3160.13 SQM
THIRD FLOOR	3160.05 SQM
TOTAL BUILT UP AREA	12637.03 SQM
TOTAL DECK TRON	2360.97 SQM
F.A.R	0.99
COVERAGE	30.37%

PROJECT TITLE

PROPOSED CONSTRUCTION OF HOSPITAL BUILDING SECOND FLOOR AND THIRD FLOOR ON EXISTING GROUND FLOOR AND EXISTING CORNER AT KHATE NO. 14 AND 3182-9, PID NO. 142-128/22 AND 1-4-3-128/17 RESPECTIVELY, SITUATED AT 128/22 AND 38/17 # 1, 2

CANTEEN & WARD BLOCK



60.0 M WIDE NH-75



EXISTING PROTOTYPE OF 1ST FLOOR



PROPOSED THIRD FLOOR PLAN



Copy to
1 APR - 23

Sri Devaraj Urs College of Nursing
Tamilkottai, Kolar-563102.

SITE PLAN
SCALE 1:100

Principal

Sri Devaraj Urs College of Nursing
Tamaka, Kolar-563102



Gayathri
IQAC
Sri Devaraj Urs College of Nursing
Tamaka, Kolar-563101.

[Signature]
Principal
Sri Devaraj Urs College of Nursing
Tamaka, Kolar-563103

DATE	STARTING WEIGHT	ENDING WEIGHT	SIGNATURE	STARTING WEIGHT	ENDING WEIGHT	SIGNATURE
01/05/23	05.1g	07.1g	V.W	26.1g	03.1g	Vijay K
02/05/23	06.1g	08.1g	V.W	27.1g	04.1g	Vijay K
03/05/23	07.1g	09.1g	V.W	28.1g	05.1g	Vijay K
04/05/23	06.1g	07.1g	V.W	27.1g	06.1g	Vijay K
05/05/23	05.1g	08.1g	V.W	33.1g	06.1g	Vijay K
06/05/23	07.1g	06.1g	V.W	35.1g	05.1g	Vijay K
07/05/23	08.1g	08.1g	V.W	36.1g	06.1g	Vijay K
08/05/23	07.1g	07.1g	V.W	38.1g	03.1g	Vijay K
09/05/23	05.1g	08.1g	V.W	34.1g	05.1g	Vijay K
10/05/23	06.1g	06.1g	V.W	37.1g	06.1g	Vijay K
11/05/23	08.1g	07.1g	V.W	36.1g	07.1g	Vijay K
12/05/23	07.1g	08.1g	V.W	34.1g	06.1g	Vijay K
13/05/23	05.1g	07.1g	V.W	38.1g	05.1g	Vijay K
14/05/23	07.1g	07.1g	V.W	40.1g	04.1g	Vijay K
15/05/23	08.1g	08.1g	V.W	36.1g	05.1g	Vijay K
16/05/23	06.1g	06.1g	V.W	35.1g	04.1g	Vijay K
17/05/20	05.1g	08.1g	V.W	38.1g	03.1g	Vijay K
18/05/23	05.1g	07.1g	V.W	37.1g	05.1g	Vijay K
19/05/23	08.1g	06.1g	V.W	33.1g	06.1g	Vijay K
20/05/23	07.1g	07.1g	V.W	36.1g	06.1g	Vijay K
21/05/23	08.1g	08.1g	V.W	34.1g	05.1g	Vijay K
22/05/23	06.1g	07.1g	V.W	36.1g	05.1g	Vijay K
23/05/23	05.1g	08.1g	V.W	33.1g	04.1g	Vijay K
24/05/23	05.1g	06.1g	V.W	34.1g	03.1g	Vijay K
25/05/23	06.1g	05.1g	V.W	37.1g	06.1g	Vijay K
26/05/23	08.1g	07.1g	V.W	33.1g	04.1g	Vijay K
27/05/23	06.1g	06.1g	V.W	32.1g	05.1g	Vijay K
28/05/23	07.1g	05.1g	V.W	36.1g	06.1g	Vijay K
29/05/23	06.1g	09.1g	V.W	33.1g	05.1g	Vijay K
30/05/23	07.1g	08.1g	V.W	36.1g	04.1g	Vijay K
31/05/23	06.1g	06.1g	V.W	38.1g	06.1g	Vijay K
			V.W	34.1g	03.1g	Vijay K

Gayathri Supervisor, e-Vijay K
 IQAC A900-III

Principal



grad in
 blood
 stool
 Internet

JUNE-2023 - FOOD WASTE

DATE	COLLECTED IN SIDE WASTE	COLLECTED OUT SIDE WASTE	SIGNATURE	WASTE IN HOTEL ZONE OUTSIDE WASTE	WASTE FROM HOTEL ZONE WASTE	Signature	DATE	CO	SI
01/06/23	06.kg	8.kg	VUW	33.kg	05.kg	Vijayak	01/07/23	0	
02/06/23	05.kg	7.kg	VUW	34.kg	06.kg	Vijayak	02/07/23	0	
03/06/23	07.kg	06.kg	VUW	36.kg	00.kg	Vijayak	03/07/23	0	
04/06/23	06.kg	07.kg	VUW	37.kg	05.kg	Vijayak	04/07/23	0	
05/06/23	05.kg	08.kg	VUW	33.kg	06.kg	Vijayak	05/07/23	0	
06/06/23	06.kg	06.kg	VUW	35.kg	00.kg	Vijayak	06/07/23	0	
07/06/23	08.kg	07.kg	VUW	36.kg	03.kg	Vijayak	07/07/23	0	
08/06/23	06.kg	08.kg	VUW	33.kg	04.kg	Vijayak	08/07/23	0	
09/06/23	05.kg	08.kg	VUW	32.kg	03.kg	Vijayak	09/07/23	0	
10/06/23	07.kg	07.kg	VUW	33.kg	3.42.kg	Vijayak	10/07/23	0	
11/06/23	06.kg	06.kg	VUW	36.kg	4.kg	Vijayak	11/07/23	0	
12/06/23	05.kg	09.kg	VUW	38.kg	4.42.kg	Vijayak	12/07/23	0	
13/06/23	05.kg	7.kg	VUW	35.kg	4.kg	Vijayak	13/07/23	0	
14/06/23	06.kg	08.kg	VUW	34.kg	5.kg	Vijayak	14/07/23	0	
15/06/23	08.kg	07.kg	VUW	30.kg	03.kg	Vijayak	15/07/23	0	
16/06/23	07.kg	06.kg	VUW	36.kg	04.kg	Vijayak	16/07/23	0	
17/06/23	08.kg	07.kg	VUW	34.kg	03.kg	Vijayak	17/07/23	0	
18/06/23	07.kg	09.kg	VUW	33.kg	03.kg	Vijayak	18/07/23	0	
19/06/23	06.kg	08.kg	VUW	30.kg	00.kg	Vijayak	19/07/23	0	
20/06/23	08.kg	07.kg	VUW	36.kg	03.kg	Vijayak	20/07/23	0	
21/06/23	05.kg	09.kg	VUW	38.kg	05.kg	Vijayak	21/07/23	0	
22/06/23	05.kg	08.kg	VUW	37.kg	00.kg	Vijayak	22/07/23	0	
23/06/23	06.kg	07.kg	VUW	36.kg	04.kg	Vijayak	23/07/23	0	
24/06/23	07.kg	08.kg	VUW	35.kg	05.kg	Vijayak	24/07/23	0	
25/06/23	08.kg	07.kg	VUW	34.kg	03.kg	Vijayak	25/07/23	0	
26/06/23	05.kg	8.kg	VUW	36.kg	00.kg	Vijayak	26/07/23	0	
27/06/23	06.kg	07.kg	VUW	38.kg	03.kg	Vijayak	27/07/23	0	
28/06/23	07.kg	09.kg	VUW	32.kg	00.kg	Vijayak	28/07/23	0	
29/06/23	06.kg	08.kg	VUW	30.kg	03.kg	Vijayak	29/07/23	0	
30/06/23	05.kg	07.kg	VUW	36.kg	00.kg	Vijayak	30/07/23	0	

Gayathri
QAC AQAR-III

WEEKLY MONITORING FOOD WASTE - 2023

DATE	SIGNATURE	DATE	COLEGE'S SIDE WASTE	COLLEGE'S SIDE WASTE	SIGNATURE	WASTE IN SIDE COLLEGE'S WASTE	WASTE FROM WASTE	SIGNATURE
1/7/23	Vijayk	1/7/23	05.kg	07.kg	Vijayk	30.kg	04.kg	Vijayk
2/7/23	Vijayk	2/7/23	06.kg	06.kg	Vijayk	37.kg	03.kg	Vijayk
3/7/23	Vijayk	3/7/23	05.kg	08.kg	Vijayk	35.kg	07.kg	Vijayk
4/7/23	Vijayk	4/7/23	06.kg	07.kg	Vijayk	34.kg	06.kg	Vijayk
5/7/23	Vijayk	5/7/23	06.kg	06.kg	Vijayk	33.kg	05.kg	Vijayk
6/7/23	Vijayk	6/7/23	07.kg	07.kg	Vijayk	37.kg	04.kg	Vijayk
7/7/23	Vijayk	7/7/23	05.kg	08.kg	Vijayk	35.kg	03.kg	Vijayk
8/7/23	Vijayk	8/7/23	06.kg	07.kg	Vijayk	33.kg	05.kg	Vijayk
9/7/23	Vijayk	9/7/23	07.kg	08.kg	Vijayk	38.kg	06.kg	Vijayk
10/7/23	Vijayk	10/7/23	05.kg	07.kg	Vijayk	36.kg	04.kg	Vijayk
11/7/23	Vijayk	11/7/23	06.kg	05.kg	Vijayk	34.kg	03.kg	Vijayk
12/7/23	Vijayk	12/7/23	07.kg	07.kg	Vijayk	36.kg	03.kg	Vijayk
13/7/23	Vijayk	13/7/23	06.kg	08.kg	Vijayk	35.kg	06.kg	Vijayk
14/7/23	Vijayk	14/7/23	05.kg	06.kg	Vijayk	36.kg	03.kg	Vijayk
15/7/23	Vijayk	15/7/23	06.kg	08.kg	Vijayk	37.kg	05.kg	Vijayk
16/7/23	Vijayk	16/7/23	07.kg	07.kg	Vijayk	34.kg	04.kg	Vijayk
17/7/23	Vijayk	17/7/23	05.kg	07.kg	Vijayk	33.kg	03.kg	Vijayk
18/7/23	Vijayk	18/7/23	04.kg	08.kg	Vijayk	34.kg	02.kg	Vijayk
19/7/23	Vijayk	19/7/23	06.kg	06.kg	Vijayk	36.kg	04.kg	Vijayk
20/7/23	Vijayk	20/7/23	05.kg	08.kg	Vijayk	37.kg	05.kg	Vijayk
21/7/23	Vijayk	21/7/23	05.kg	07.kg	Vijayk	35.kg	03.kg	Vijayk
22/7/23	Vijayk	22/7/23	06.kg	06.kg	Vijayk	33.kg	04.kg	Vijayk
23/7/23	Vijayk	23/7/23	07.kg	07.kg	Vijayk	37.kg	05.kg	Vijayk
24/7/23	Vijayk	24/7/23	05.kg	05.kg	Vijayk	35.kg	04.kg	Vijayk
25/7/23	Vijayk	25/7/23	06.kg	07.kg	Vijayk	34.kg	03.kg	Vijayk
26/7/23	Vijayk	26/7/23	04.kg	08.kg	Vijayk	33.kg	03.kg	Vijayk
27/7/23	Vijayk	27/7/23	07.kg	09.kg	Vijayk	32.kg	04.kg	Vijayk
28/7/23	Vijayk	28/7/23	06.kg	08.kg	Vijayk	35.kg	05.kg	Vijayk
29/7/23	Vijayk	29/7/23	05.kg	07.kg	Vijayk	36.kg	04.kg	Vijayk
30/7/23	Vijayk	30/7/23	04.kg	06.kg	Vijayk	35.kg	02.kg	Vijayk
31/7/23	Vijayk	31/7/23	06.kg	07.kg	Vijayk	37.kg	3 1/2.kg	Vijayk

Gayathri
ASST. SUPERVISOR :-

PRINCIPAL :-

WASTE - AUGUST - 2023

Date _____
Page _____

Sl. No.	DATE	COLLEGE OUT SIDE WASTE	COLLEGE IN SIDE WASTE	SIGNATURE	+HOSTEL DASH OUT WASTE	FOOD WASTE	SIGN	DATE
02	01/08/23	06.kg	05.kg	Vu	33.kg	03.kg	Vijayk	01/08/23
03	02/08/23	05.kg	06.kg	Vu	34.kg	04.kg	Vijayk	02/08/23
04	03/08/23	07.kg	06.kg	Vu	36.kg	03.kg	Vijayk	03/08/23
05	04/08/23	06.kg	05.kg	Vu	30.kg	04.kg	Vijayk	04/08/23
06	05/08/23	08.kg	06.kg	Vu	35.kg	04.kg	Vijayk	05/08/23
07	06/08/23	07.kg	04.kg	Vu	37.kg	05.kg	Vijayk	06/08/23
08	07/08/23	05.kg	07.kg	Vu	31.kg	06.kg	Vijayk	07/08/23
09	08/08/23	08.kg	06.kg	Vu	34.kg	06.kg	Vijayk	08/08/23
10	09/08/23	07.kg	05.kg	Vu	32.kg	04.kg	Vijayk	09/08/23
11	10/08/23	06.kg	06.kg	Vu	36.kg	04.kg	Vijayk	10/08/23
12	11/08/23	07.kg	05.kg	Vu	37.kg	03.kg	Vijayk	11/08/23
13	12/08/23	08.kg	06.kg	Vu	33.kg	04.kg	Vijayk	12/08/23
14	13/08/23	07.kg	05.kg	Vu	35.kg	03.kg	Vijayk	13/08/23
15	14/08/23	06.kg	05.kg	Vu	34.kg	04.kg	Vijayk	14/08/23
16	15/08/23	07.kg	06.kg	Vu	33.kg	4.5.kg	Vijayk	15/08/23
17	16/08/23	06.kg	07.kg	Vu	32.kg	5.kg	Vijayk	16/08/23
18	17/08/23	07.kg	05.kg	Vu	33.kg	3.kg	Vijayk	17/08/23
19	18/08/23	06.kg	06.kg	Vu	34.kg	04.kg	Vijayk	18/08/23
20	19/08/23	08.kg	05.kg	Vu	36.kg	4.kg	Vijayk	19/08/23
21	20/08/23	06.kg	07.kg	Vu	35.kg	3.kg	Vijayk	20/08/23
22	21/08/23	07.kg	05.kg	Vu	34.kg	03.kg	Vijayk	21/08/23
23	22/08/23	06.kg	06.kg	Vu	33.kg	04.kg	Vijayk	22/08/23
24	23/08/23	08.kg	07.kg	Vu	36.kg	05.kg	Vijayk	23/08/23
25	24/08/23	07.kg	05.kg	Vu	37.kg	03.kg	Vijayk	24/08/23
26	25/08/23	09.kg	06.kg	Vu	38.kg	04.kg	Vijayk	25/08/23
27	26/08/23	07.kg	04.kg	Vu	35.kg	05.kg	Vijayk	26/08/23
28	27/08/23	06.kg	06.kg	Vu	33.kg	03.kg	Vijayk	27/08/23
29	28/08/23	08.kg	07.kg	Vu	32.kg	05.kg	Vijayk	28/08/23
30	29/08/23	07.kg	05.kg	Vu	34.kg	06.kg	Vijayk	29/08/23
31	30/08/23	08.kg	06.kg	Vu	32.kg	03.kg	Vijayk	30/08/23
32	31/08/23	05.kg	05.kg	Vu	31.kg	04.kg	Vijayk	31/08/23

WASTE - SEPTEMBER - 2023

WASTE IN HOSTEL	SIGN	DATE	COLLEGE WASTE	CUT SIZE WASTE	SIGNATURE	HOSTEL WASTE IN/CUT SIZE	FOOD WASTE	SIGN
3.5kg	Vijay	01/09/23	05.5g	05 kg	VU	30.5g	02.5g	F
4.0kg	Vijay	02/09/23	06.5g	04.5kg	VU	33.5g	03.5g	F
3.5kg	Vijay	03/09/23	05.5g	06.5kg	VU	32.5g	05.5g	F
4.0kg	Vijay	04/09/23	07.5kg	05.5g	V-U	35.5g	06.5g	F
4.0kg	Vijay	05/09/23	06.5g	06.5kg	V-U	34.5g	03.5g	F
5.0kg	Vijay	06/09/23	07.5g	05.5g	VU	36.5g	04.5g	F
4.0kg	Vijay	07/09/23	05.5g	07.5g	VU	33.5g	05.5g	F
6.0kg	Vijay	08/09/23	08.5kg	05.5g	V-U	37.5g	06.5g	F
4.0kg	Vijay	09/09/23	06.5kg	06.5g	VU	35.5g	05.5g	F
4.0kg	Vijay	10/09/23	05.5g	05.5g	V-U	30.5g	04.5g	F
3.0kg	Vijay	11/09/23	06.5kg	05.5g	V-U	35.5g	06.5g	F
4.0kg	Vijay	12/09/23	07.5g	07.5kg	VU	38.5g	05.5g	F
3.0kg	Vijay	13/09/23	05.5g	06.5kg	V-U	32.5g	04.5kg	F
4.0kg	Vijay	14/09/23	06.5g	05.5g	V-U	36.5g	03.5g	F
4.5kg	Vijay	15/09/23	07.5g	06.5kg	VU	35.5g	03.5g	F
4.0kg	Vijay	16/09/23	05.5kg	07.5g	VU	32.5g	04.5g	F
4.5kg	Vijay	17/09/23	07.5kg	06.5g	VU	34.5kg	05.5kg	F
4.0kg	Vijay	18/09/23	08.5kg	08.5kg	V-U	33.5g	04.5kg	F
4.0kg	Vijay	19/09/23	05.5kg	05.5g	VU	35.5g	05.5g	F
4.5kg	Vijay	20/09/23	05.5kg	07.5g	VU	30.5g	03.5g	F
3.0kg	Vijay	21/09/23	06.5kg	06.5g	VU	32.5g	04.5g	F
4.0kg	Vijay	22/09/23	05.5kg	07.5g	VU	34.5g	05.5g	F
4.5kg	Vijay	23/09/23	07.5kg	05.5g	VU	28.5g	03.5g	F
4.0kg	Vijay	24/09/23	06.5kg	04.5g	VU	36.5g	02.5g	F
4.0kg	Vijay	25/09/23	05.5g	05.5g	VU	38.5g	04.5g	F
4.5kg	Vijay	26/09/23	06.5kg	06.5g	VU	36.5g	05.5g	F
4.0kg	Vijay	27/09/23	07.5kg	07.5g	VU	33.5g	04.5g	F
4.5kg	Vijay	28/09/23	06.5kg	05.5g	VU	34.5g	03.5g	F
6.0kg	Vijay	29/09/23	05.5g	06.5g	VU	36.5g	04.5g	F
4.0kg	Vijay	30/09/23	07.5g	07.5g	VU	34.5g	03.5g	F
0.0kg	Vijay	31/09/23	07.5g	07.5g	VU	34.5g	03.5g	F
Gayathri IQAC AGAR-III Sri Devaraj Urs College of Nursing - Tamaka, Kolar-563101								

WASTE OF OCTOBER-2023

Date _____
 Page _____

DATE	COLLEGE WASTE	OUTSIDE WASTE	SIGNATURE	HOSTEL WASTE INSIDE/OUTSIDE	FOOD WASTE	SIGN
01/10/23	6.5g	7.5g	VW	34.5g	04.5g	✓
02/10/23	07.5g	08.5g	VW	32.5g	08.5g	✓
03/10/23	06.5g	9.5g	VW	30.5g	02.5g	✓
04/10/23	07.5g	07.5g	VW	34.5g	03.5g	✓
05/10/23	05.5g	06.5g	VW	36.5g	03.5g	✓
06/10/23	06.5g	07.5g	VW	32.5g	02.5g	✓
07/10/23	05.5g	07.5g	VW	30.5g	04.5g	✓
08/10/23	06.5g	05.5g	VW	33.5g	05.5g	✓
09/10/23	06.5g	06.5g	VW	35.5g	4.5g	✓
10/10/23	05.5g	07.5g	VW	36.5g	03.5g	✓
11/10/23	07.5g	05.5g	VW	37.5g	05.5g	✓
12/10/23	06.5g	07.5g	VW	31.5g	04.5g	✓
13/10/23	07.5g	05.5g	VW	32.5g	03.5g	✓
14/10/23	05.5g	06.5g	VW	30.5g	04.5g	✓
15/10/23	06.5g	05.5g	VW	34.5g	03.5g	✓
16/10/23	07.5g	06.5g	VW	33.5g	04.5g	✓
17/10/23	06.5g	07.5g	VW	36.5g	02.5g	✓
18/10/23	07.5g	05.5g	VW	36.5g	03.5g	✓
19/10/23	05.5g	05.5g	VW	37.5g	04.5g	✓
20/10/23	06.5g	06.5g	VW	34.5g	04.5g	✓
21/10/23	05.5g	07.5g	VW	33.5g	05.5g	✓
22/10/23	07.5g	04.5g	VW	30.5g	03.5g	✓
23/10/23	06.5g	06.5g	VW	38.5g	04.5g	✓
24/10/23	05.5g	05.5g	VW	33.5g	03.5g	✓
25/10/23	07.5g	06.5g	VW	36.5g	02.5g	✓
26/10/23	06.5g	07.5g	VW	34.5g	03.5g	✓
27/10/23	07.5g	05.5g	VW	36.5g	02.5g	✓
28/10/23	05.5g	06.5g	VW	38.5g	04.5g	✓
29/10/23	06.5g	05.5g	VW	34.5g	03.5g	✓
30/10/23	07.5g	06.5g	VW	32.5g	02.5g	✓
31/10/23	05.5g	05.5g	VW	34.5g	03.5g	✓

WASTE OF NOVEMBER - 2023

						Signature		
		10/11/23	05.1g	07.1g	VUR	32.1g	02.1g	Vijaya E
		10/11/23	06.1g	05.1g	VUR	34.1g	02.1g	Vijaya E
		10/11/23	05.1g	06.1g	VUR	36.1g	04.1g	Vijaya E
		10/11/23	06.1g	07.1g	VUR	38.1g	07.1g	Vijaya E
		10/11/23	08.1g	06.1g	VUR	30.1g	03.1g	Vijaya E
		10/11/23	05.1g	05.1g	VUR	25.1g	06.1g	Vijaya E
		10/11/23	07.1g	07.1g	VUR	33.1g	03.1g	Vijaya E
		10/11/23	06.1g	06.1g	VUR	36.1g	02.1g	Vijaya E
		10/11/23	05.1g	07.1g	VUR	25.1g	2.1g	Vijaya E
		10/11/23	07.1g	08.1g	VUR	33.1g	3.1g	Vijaya E
		10/11/23	06.1g	09.1g	VUR	31.1g	4.1g	Vijaya E
		10/11/23	05.1g	07.1g	VUR	34.1g	5.1g	Vijaya E
		10/11/23	06.1g	06.1g	VUR	36.1g	4.1g	Vijaya E
		10/11/23	07.1g	08.1g	VUR	33.1g	03.1g	Vijaya E
		10/11/23	05.1g	07.1g	VUR	31.1g	04.1g	Vijaya E
		10/11/23	08.1g	07.1g	VUR	33.1g	05.1g	Vijaya E
		10/11/23	05.1g	06.1g	VUR	32.1g	06.1g	Vijaya E
		10/11/23	06.1g	08.1g	VUR	33.1g	04.1g	Vijaya E
		10/11/23	05.1g	09.1g	VUR	35.1g	03.1g	Vijaya E
		10/11/23	06.1g	06.1g	VUR	37.1g	04.1g	Vijaya E

Gayathri
QAC No. 10-11

Sri Devaraj Urs College of Nursing,
Tamaka, Kolar-563101.

Principal
Sri Devaraj Urs College of Nursing
Tamaka, Kolar-563103



SRI DEVARAJ URS ACADEMY OF HIGHER EDUCATION AND RESEARCH
(A DEEMED TO BE UNIVERSITY)

Declared under Section 3 of UGC Act, 1956, MHRD GOI No.F.9-36/2006-U.3(A) Dt. 25th May 2007
Post Box No. 62, Tamaka, Kolar - 563 103, Karnataka, INDIA

Ph: 08152- 243244,243003, Fax : 08152 - 243008 E-mail - registrar@sduu.ac.in/office@adu.ac.in Website: www.sduu.ac.in

SDUAHER/KLR/PUR/2023-24 ^{p-10} purchasesection@sduaher.ac.in Date: 02nd November, 2023.

To
Meera Environment Private Limited.,
BVR Lake Front, Site No. 1-4, Nagavara,
A.C College Post, Opp. Indian Oil petrol Bunk.
Bangalore - 560045 Mobile: 9900033941 / 9686204578 / 8105525559
Email: info@meeraenvirotech.com / metbmw@gmail.com

Dear Sir,

SERVICE ORDER

Sub: Service order for **COLLECTION, TRANSPORTATION, TREATMENT AND DISPOSAL OF BIO MEDICAL WASTE IN RLJH & RC**
Ref:- Dated : 25th August, 2023 at 1.52 PM

- The academy has placing the service contract agreement letter towards the collection, transportation and treatment and disposal of Bio Medical Waste in RLJH & RC hospital.
- The commercial terms as under :-

Sl.No	Description	Per Month Charges
1	Bio medical waste collection, transportation, treatment and disposal in our hospital and college as per the norms of 2019 biomedical waste disposal guidelines. For 1000 beds	Rs. 1,35,000/- Per Month Charges (Rupees One Lakh Thirty five thousand only) + GST 12 % is applicable

- Consumable part as under :-
 - Poly Bags (22 X 30) Size 160 GSM - Green color for Rs. 5.00/- + GST
 - Poly Bags (22 X 30) Size 160 GSM - Yellow color for Rs. 5.00/- + GST
 - Poly Bags (22 X 30) Size 160 GSM - Red color for Rs. 5.00/- + GST
 - Poly Bags (22 X 30) Size 160 GSM - Blue color for Rs. 5.00/- + GST
 - Bar code stickers L-48 size (48 Labels per sheet) for Rs. 0.75 /- + GST.
 - Printing charts of 100 Nos will be free has to supply
 - Contract duration : One year
 - The release of monthly bill amount subject to VERIFICATION from the concerned Housekeeping and competent authority.
 - As per the MOU the Other terms and Conditions as applicable.

Business or Company Name	Institution Name
Complete Company Name	Sri Devaraj Urs Academy of Higher Education & Research.
Complete Shipping address (Server Location with GST no. with PAN number	Sri Devaraj Urs Academy of Higher Education & Research. KOLAR - 563103 GST NO. :- 29AAATS5344P1ZT PAN : AAATS5344P
Complete Billing address with GST No. with PAN number	The Registrar, Sri Devaraj Urs Academy of Higher Education & Research. KOLAR - 563103 GST NO. :- 29AAATS5344P1ZT PAN : AAATS5344P
Contact Person Name	ZEANATH CARIENA JOSEPH
Contact Person Number	9880609853
Contact Person email id	cno@sduaher.ac.in

Work related to BMW for Hospital

Gayathri
IOAC AQAR-22

Sri Devaraj Urs College of Nursing
Tamaka, Kolar-563101.

[Signature]
Principal

Sri Devaraj Urs College of Nursing
Tamaka, Kolar-563103

[Signature]
Purchase officer
Sri Devaraj Urs Academy of
Higher Education & Research
Tamaka, Kolar