




सत्यमेव जयते


INDIA NON JUDICIAL

Government of Karnataka

e-Stamp

Certificate No. : IN-KA51049563238253V  
 Certificate Issued Date : 24-Nov-2023 02:21 PM  
 Account Reference : NONACC (FI)/ kaksfcl08/ KOLAR/ KA-KO  
 Unique Doc. Reference : SUBIN-KAKAKSFCL0870473652618903V  
 Purchased by : MEERA ENVIROTECH PVT LTD KOLAR  
 Description of Document : Article 12 Bond  
 Description : AGREEMENT  
 Consideration Price (Rs.) : 0  
 (Zero)  
 First Party : MEERA ENVIROTECH PVT LTD KOLAR  
 Second Party : SDUAHER TAMAKA KOLAR  
 Stamp Duty Paid By : MEERA ENVIROTECH PVT LTD KOLAR  
 Stamp Duty Amount(Rs.) : 100  
 (One Hundred only)

  
 Sri Sai Souharda Credit  
 Co-op. Society Ltd.  
 Opp. B.E.O. Office,  
 Doddapet, Kolar-563 101.




*Gayathri*  
 IQAC AQAR-III


**BIO-MEDICAL WASTE (HANDLING AND MANAGEMENT) AGREEMENT**


**MEERA ENVIROTECH PVT. LTD.** having its registered office at BVR Lake Front Site No.1-4 Veerannapalya Main Road, Nagavara, A. College Post, Opp: Indian Oil Petrol Bunk, Bangalore – 560045, Plant Address: Sy.No.204, Haleri Cross, Sugatur Hobli, Kolar Taluk, Kolar District – 563102, PAN No.AANCES938B, GST No. 29AANC55938B1Z0, and owning a Common Treatment Facility for treating and disposing Solid Bio-Medical Waste, herein after referred to as the **OPERATOR**, and, **THE REGISTRAR SRI DEVARAJ URS ACADEMY OF HIGHER EDUCATION AND RESEARCH CENTRE, Tamaka, Kolar - 563103**, herein after referred to as the **R.L JALAPPA HOSPITAL & RESEARCH CENTRE**, agree to come to the Memorandum of Understanding on the 11<sup>th</sup> Day of November, 2023

as detailed below:



  
 Medical Superintendent  
 Hospital & Research Centre

  
 Purchase officer  
 Sri Devaraj Urs Academy of  
 Higher Education & Research

  
 Principal  
 Sri Devaraj Urs College of Nursing  
 Registrar  
 Kolar-563103  
 Sri Devaraj Urs Academy of Higher

1. The Operator, having the Consent Ref No. **AW-325232** from Karnataka State Pollution Control Board, shall run the Common Treatment facility to treat and dispose the Bio-Medical Waste produced by the **R.L Jalappa Hospital & Research Centre**. The facility consists of Bio-Medical Waste treatment equipment's including Incinerator, autoclave and low-speed shredders as per the CPCB norms.

2. **R.L Jalappa Hospital & Research Centre** shall hand over the Solid Bio-Medical Waste to the Operator at a single collection point within the health care facility only after meticulously segregating and packing in the respective color-coded bags as per the Bio-Medical Waste (Handling and Management) Rules, 2016 Guidelines amended in 2018 & 2019; for the treatment and disposal. The Operator has the right to refuse the collection of unsegregated Bio-Medical Waste in the interest of waste handling personnel of the Common Treatment Facility. In case of any amputated body parts, the hospital must properly pack the same in yellow bags only and the **R.L Jalappa Hospital & Research Centre** must give a 'declaration letter' regarding the amputation, failing which, the Operator shall not collect the waste.

3. **R.L Jalappa Hospital & Research Centre** has a total of 1000 beds in the health care establishment as per the records submitted to the Dept. of Health and Family Welfare under the Karnataka Private Medical Establishments Act / Authorization with the Karnataka State Pollution Control Board to run the establishment. This information is considered for fixing the price payable to the Operator. However, if the number of beds as per actual at any given time is more than that of the furnished information, the price charged shall be on the basis of actual beds present in the health care facility.

4. Payment for Service charges & Poly Covers of Bio-Medical Waste Management in Favour Of M/s. Meera Envirotech Pvt Ltd.

Sl No.	Description	Period	Per Month Charges
1	Collection, Transportation, Treatment and final disposal of Bio medical waste from your hospital/College as per norms of 2016 Bio Medical waste disposal guidelines for 1000 bedded Hospital. The rates are applicable for 1 Year	11/11/2023 to 10/11/2024	1,35,000/- + GST 12%

Sl No	Description	Qty	UOM	Rate Per Bag	GST
1	Polythene Bags (50Micron) Yellow -30 Ltrs Capacity 22X30	2500	No's	8.00	Including 18% GST
2	Polythene Bags (75Micron) Yellow -60 Ltrs Capacity 30X40	1000	No's	14.00	Including 18% GST
3	Polythene Bags (50Micron) Red - 30 Ltrs Capacity 22X30	2500	No's	8.00	Including 18% GST
4	Polythene Bags (75Micron) Red-60 Ltrs Capacity 30X40	1000	No's	14.00	Including 18% GST
5	Polythene Bags (75Micron) Yellow -60 Ltrs Capacity 30X40 with Cytotoxic Symbol	1000	No's	14.00	Including 18% GST
6	Barcode Stickers ( All Colours) as per requirement	8000	No's	0.75	Plus 18% GST

**R.L Jalappa Hospital & Research Centre** shall not enter into a parallel contract with any other Operator during the contract period.

Sri Devaraj Urs College of Nursing  
Tumkur, Kolar-563103

Purchase officer



Medical Superintendent  
R.L Jalappa Hospital & Research Centre  
Tumkur-563103

2

Sri Devaraj Urs Academy of Higher Education

6. **R.L Jalappa Hospital & Research Centre** shall ensure timely payment to the Operator on or before 5<sup>th</sup> of every month. In case of non-receipt of the payment, the Operator shall stop the collection of waste and immediately intimate the Karnataka State Pollution Control Board. The delayed payments shall be recovered / collected with an interest @ 05% p.a.
7. The Operator shall collect the Bio-Medical Waste Regularly on time on every day of the week except on Sundays and treat the wastes as per the stipulated guidelines. The Operator shall not be responsible in case the hospital / clinic is not open at the time of collection. In case of frequent repetitions of such situations, an alternate solution has to be arranged by the **R.L Jalappa Hospital & Research Centre**. The Operator shall strictly not collect any general garbage / municipal solid waste.
8. A Destruction Certificate shall be issued by the Operator to the **R.L Jalappa Hospital & Research Centre** periodically certifying that the Bio-Medical Waste produced by the **R.L Jalappa Hospital & Research Centre** is treated and disposed. This will help the **R.L Jalappa Hospital & Research Centre** with the Karnataka State Pollution Control Board's compliance requirement to run the health care facility. The individual health care facility / **R.L Jalappa Hospital & Research Centre** can take the Authorization from the Karnataka State Pollution Control Board by informing them that their waste is collected and treated by **M/s Meera Envirotech Pvt. Ltd.** The same shall be mentioned in the Authorization form.
9. In case the **R.L Jalappa Hospital & Research Centre** finds any irregularities in collection of waste, they may intimate the Operator for immediate action.
10. In case of violation of any of the agreed conditions of this MOU, either the Operator or the **R.L Jalappa Hospital & Research Centre** may issue a two months' notice to terminate this arrangement.
11. Ensure occupational safety of all its health care workers and others involved in handling of Bio Medical waste by providing appropriate and adequate personal protective equipment's.
12. Health checkup records to be submitted at least once in a year for all involved in handling of Bio Medical Waste
13. Bio-Medical Waste management records and displays the monthly records in the waste management room and details to be submitted along with invoices.
14. The authorized shall comply with the provisions of the Environment (Protection) Act,1986 and the rules made there under.
15. The Authorization or its renewal shall be produced for inspection at the request of an officer authorized by the prescribed authority.
16. The person authorized shall not rent, lend, sell, transfer or otherwise transport the bio Medical wastes without obtaining prior permission of the prescribed authority.

17. It is Mandatory to provide the BMW App in the name of **R.L Jalappa Hospital & Research Centre** & there must be a access for the institution for collection automation & Barcoding system.

*Gayathri*  
**AGAR-U**  
 Sri Devaraj Urs College of Nursing  
 Kolar-563103.


*[Signature]*  
 Meera  
 R.L. Jalappa Hospital & Research Centre  
 Kolar-563103.

*[Signature]*  
 Registrar  
 Sri Devaraj Urs Academy of Higher  
 Education  
 Kolar-563103.

*[Signature]*  
 Purchase officer  
 Sri Devaraj Urs Academy of Higher  
 Education  
 Kolar-563103.

18. This agreement valid from 11.11.2023 to 10.11.2024 and is renewable with mutual consent of both the parties.


All the disputes to this understanding are subject to the jurisdiction of courts in Bangalore only. All the points mentioned above shall have legal binding for a period of One year from the date of this agreement.

  
25.11.23.  
Medical superintendent  
R.L. Jalappa Hospital & Research Centre  
Tamaka, Kolar-563103.

RLH & RC

  
Executive Engineer


SDUAHER

  
Registrar  
Sri Devaraj Urs Academy of Higher  
Education and Research  
Tamaka, Kolar-563103

SDUAHER

  
Meera Envirotech Pvt Ltd  
Director



  
IQAC AQAR-II  
Sri Devaraj Urs College of Nursing  
Tamaka, Kolar-563101.

  
Principal  
Sri Devaraj Urs College of Nursing  
Tamaka, Kolar-563103

भारत सरकार  
परमाणु ऊर्जा नियामक परिषद्  
विकिरण संरक्षा पभाग



GOVERNMENT OF INDIA  
ATOMIC ENERGY REGULATORY BOARD  
RADIOLOGICAL SAFETY DIVISION

Case file no.: KT-00018-INST  
Document no.: 23-SLA-927982

Date of Issue: 17/04/2023

Sub: Approval for Site and Layout of Medical Accelerator Installation

This has reference to your application no. 23-1077192 dated 20/03/2023 addressed to this Division for site and layout approval of Medical Accelerator Installation. In exercise of the powers conferred under Section-16 of the Atomic Energy Act, 1962 read with Rule 3 of the Atomic Energy (Radiation Protection) Rules, 2004, the Atomic Energy Regulatory Board (AERB) hereby grants approval from the radiological safety view point, to MEDICAL SUPERINTENDENT, R. L. Jalappa Hospital & Research Centre, Kolar for site and layout of the Medical Accelerator installation at (Attached Sri Devaraj Urs Medical College), Tamaka, Kolar - 563101, Karnataka.

This approval is subject to the following conditions:

- 1) The layout of the facility is approved for Panacea Medical Technologies pvt ltd, SIDDHARTH-II SUPERIA, Medical Accelerator Installation having nominal photon energy(ies) 6MV SF, 6MV LF, 6MV FFF MV.
- 2) The institution shall obtain any other necessary approvals from the concerned statutory authorities of the Central/State/Local authority as and when applicable.
- 3) Alteration(s)/Modification(s) in the approved layout plan shall not be carried out without prior permission from AERB.
- 4) The approved drawings shall be read in conjunction with Annexure-1(AERB/RSD/RT/Technote-Plan) as applicable.

DR. P. K. DASH SHARMA  
Head, RSD

NB: The guidelines on various stages of regulatory clearances for radiotherapy institutions are available on our website [www.aerb.gov.in](http://www.aerb.gov.in)

Encl: As Above

Gayathri  
AQR-03  
IQAC

Sri Devaraj Urs College of Nursing  
Tamaka, Kolar-563101.

Principal

Sri Devaraj Urs College of Nursing  
Tamaka, Kolar-563103



परमाणु ऊर्जा नियामक परिषद्, निदेशक भवन, अणुसंश्लेषण, मुंबई 400084 (महाराष्ट्र)  
Atomic Energy Regulatory Board, Niyamak Bhavan, Anushleshanagar, Mumbai 400084 (Maharashtra)

वेबसाइट/Website: [www.aerb.gov.in](http://www.aerb.gov.in)

दूरभाष/Tel: 91-22-2599 0656

फैक्स/Fax: 91-22-2599 0650

Address: S R SHEELA

MEDICAL SUPERINTENDENT  
R. L. Jalappa Hospital & Research Centre  
(Attached Sri Devaraj Urs Medical College),  
Tamaka,  
Kolar-563101  
Karnataka

CC : MEDICAL SUPERINTENDENT  
R. L. Jalappa Hospital & Research Centre  
(Attached Sri Devaraj Urs Medical College),  
Tamaka,  
Kolar-563101  
Karnataka

Gayathri  
AQAR-03

IQAC  
Sri Devaraj Urs College of Nursing  
Tamaka, Kolar-563101.



Principal  
Sri Devaraj Urs College of Nursing  
Tamaka, Kolar-563103

## Specifications for the Layout drawings approved for installation of Radiation therapy equipment

## A. General Specifications

1. Concrete of density 2.35 gm/cc or more should be used as the construction material for the approved radiation therapy rooms. However, where structural requirement so demand, R.C.C. may be used.
2. The thickness of walls, floor and ceiling, shown in the approved drawing/s, are the minimum required from the radiation safety viewpoint.
3. A patient viewing system is essential. For this purpose a closed circuit TV system should be installed in the treatment room. Additional camera and monitor for the CC TV systems should be available as stand by.
4. A 5-7 cm diameter conduit should be provided in the wall common to the control room and treatment room as shown in the drawing to enable the cables of measuring instruments to pass through from control room to the treatment room. The conduit should be fixed in the control room wall at an angle between 20° and 45° to the horizontal. The lower end of the conduit should be located in the treatment room at a height between 15 cm to 20 cm from the finished floor level.
5. The door opening to the treatment room may be a single wooden door. The door should be so inter-locked to the control panel by electrical interlocks that the unit cannot be operated when the door is open.
6. In case central air-conditioning is to be provided in the radiation therapy room, the ducts for central air conditioning should be taken along the wall of the entrance door and left at the desired location without making any opening on any wall. However if it is proposed to install split Air conditioners, conduits of minimum diameter consistent with the requirement and making an angle between 20° to 45° with the horizontal should be provided. The opening of these conduits in the treatment room should be at a height about 1.5 m from the floor of treatment room. The details may be finalized in consultation with AC Engineers.
7. Red warning light should be provided above the treatment room door to indicate that the unit is in operation. The warning light above the door should be so inter-locked to the control panel that the light glows when the unit is in operation.
8. Other requirements like Electrical ducting, conduits for electrical openings, ramp of suitable slope for carrying unit crates, pit in the ground for radiation therapy unit load, air handling room, UPS unit etc., should be decided in consultation with the firm installing the radiation therapy unit before commencement of the actual construction work.
9. It may be necessary that some portion of the walls or ceiling be constructed after taking the crates carrying the parts of the unit into the room through the open portion. This, however, may be decided in consultation with the firm installing the unit.

Gayatri  
AQAR-03  
IQAC  
Sri Devaraj Urs College of Nursing  
Tamaka, Kolar-563101.

  
Principal  
Sri Devaraj Urs College of Nursing  
Tamaka, Kolar-563103

## B Additional Specifications

### B.1 For Teletherapy (Telecobalt & Medical Linear Accelerator)

B.1.1 This layout of the teletherapy room is approved on the assumption that a rotational unit is going to be installed. The unit shall be so installed that the central axis and the isocentre of the unit will be located as shown in the drawings.

B.1.2 Workload for the calculation of shielding thickness is assumed to be  $1.5 \times 10^5$  cGy / week at 1m for telecobalt unit. The workload for accelerator unit is based on the available photon energy(ies) in the unit, typically  $1.0 \times 10^5$  cGy / week at 1m for single energy accelerators. For dual/triple energy accelerators the workload is assumed to be  $1.0 \times 10^5$  cGy / week at 1m for low energies and  $0.5 \times 10^5$  cGy / week at 1m for high energy photon beams.

### B.2 Remote After Loading Brachytherapy Unit

B.2.1 The thickness of walls and ceiling, as shown in the drawing, are the minimum required from the radiation safety viewpoint for a workload of 20 cGy/week at 1 meter for Ir-192 HDR Brachytherapy Source and 16 cGy/wk at 1 meter for Co-60 HDR Brachytherapy Source. Further, the treatment bed shall be located at the place as shown in the drawings.

### B.3 Simulator

B.3.1 The main door shall be a 2 mm lead lined door with interlock. The viewing window shall have lead glass of 1.5 mm lead equivalence

### B.4 Tomotherapy


B.4.1 This layout of the tomotherapy room is approved on the assumption that a helical tomotherapy unit of 6MV is going to be installed. The unit shall be so installed that the isocentre of the unit will be located as shown in the drawings. Workload for the calculation of shielding thickness is assumed to be  $7 \times 10^5$  cGy / week at isocentre

### B.5 Cyberknife

B.5.1 This layout of the Cyber knife room is approved on the assumption that a Cyberknife unit of 6MV is going to be installed. The unit shall be so installed that the pseudo-isocentre of the unit will be located as shown in the drawings. Workload for the calculation of shielding thickness is assumed to be  $6.4 \times 10^4$  cGy / week at 1m from the target and leakage workload of  $9.6 \times 10^5$  cGy / week.

Gayathri  
A2AR-03  
IQAC

Sri Devaraj Urs College of Nursing  
Tamaka, Kolar-563101.

  
Principal

Sri Devaraj Urs College of Nursing  
Tamaka, Kolar-563103



(1/1)


SCALE: 1:100

NOTE: ALL DIMENSIONS ARE IN METERS

INDEX

LETTER	D	1.20 X 2.10
DOOR	D	1.00 X 2.10
	D	0.90 X 2.10
WINDOW	W	3.00 X 1.20
	W	1.80 X 2.10
	W	1.20 X 2.10
	W	1.50 X 2.10
VENTILATOR	V	0.60 X 0.45


EXISTING FIRST FLOOR (1/2) PLAN



PROPOSED THIRD FLOOR PLAN



CANTEEN & WARD BLOCK



60.00 M WIDE NH-75

AREA (TAM) MINSI

SITE AREA	10411.50 SQM
GROUND FLOOR	3162.31 SQM
FIRST FLOOR	3154.54 SQM
SECOND FLOOR	1160.13 SQM
THIRD FLOOR	3160.05 SQM
TOTAL BUILD UP AREA	12637.03 SQM
TOTAL DECK AREA	2560.92 SQM
F.A.P.	0.99
COVERAGE	30.37%

PROJECT TITLE

PROPOSED CONSTRUCTION OF HOSPITAL BUILDING SECOND FLOOR AND THIRD FLOOR ON EXISTING GROUND FLOOR AND

*(Signature)*

Principal  
Sri Devaraj Urs College of Nursing  
Tamaka, Kolar-563102

SITE PLAN  
SCALE 1:100

*(Signature)*  
19/04/2003

Sri Devaraj Urs College of Nursing  
Tamaka, Kolar-563102

NO.	DATE	REVISION
1		
2		
3		
4		
5		



WASTE - MAY - 2023

DATE	COLLECTED TO TYPE WASTE	COLLECTED BY TYPE WASTE	SIGNATURE	WASTE AMT IN BAGS / LBS	WASTE IN CONTAINER	REMARKS
01/05/23	05 kg	07 kg	V. Venk	36 kg	05 kg	Vijaya K
02/05/23	06 kg	08 kg	V. Venk	37 kg	04 kg	Vijaya K
03/05/23	07 kg	09 kg	V. Venk	36 kg	05 kg	Vijaya K
04/05/23	06 kg	07 kg	V. Venk	37 kg	06 kg	Vijaya K
05/05/23	05 kg	08 kg	V. Venk	23 kg	00 kg	Vijaya K
06/05/23	07 kg	06 kg	V. Venk	35 kg	07 kg	Vijaya K
07/05/23	08 kg	08 kg	V. Venk	36 kg	06 kg	Vijaya K
08/05/23	07 kg	07 kg	V. Venk	38 kg	03 kg	Vijaya K
09/05/23	05 kg	08 kg	V. Venk	30 kg	05 kg	Vijaya K
10/05/23	06 kg	06 kg	V. Venk	37 kg	06 kg	Vijaya K
11/05/23	08 kg	07 kg	V. Venk	36 kg	07 kg	Vijaya K
12/05/23	07 kg	08 kg	V. Venk	34 kg	06 kg	Vijaya K
13/05/23	05 kg	07 kg	V. Venk	38 kg	05 kg	Vijaya K
14/05/23	07 kg	07 kg	V. Venk	40 kg	04 kg	Vijaya K
15/05/23	09 kg	08 kg	V. Venk	36 kg	05 kg	Vijaya K
16/05/23	06 kg	06 kg	V. Venk	35 kg	06 kg	Vijaya K
17/05/23	05 kg	08 kg	V. Venk	38 kg	03 kg	Vijaya K
18/05/23	05 kg	07 kg	V. Venk	37 kg	05 kg	Vijaya K
19/05/23	08 kg	06 kg	V. Venk	33 kg	06 kg	Vijaya K
20/05/23	07 kg	07 kg	V. Venk	36 kg	06 kg	Vijaya K
21/05/23	08 kg	08 kg	V. Venk	34 kg	05 kg	Vijaya K
22/05/23	06 kg	07 kg	V. Venk	36 kg	05 kg	Vijaya K
23/05/23	05 kg	08 kg	V. Venk	33 kg	04 kg	Vijaya K
24/05/23	05 kg	06 kg	V. Venk	34 kg	03 kg	Vijaya K
25/05/23	06 kg	05 kg	V. Venk	37 kg	06 kg	Vijaya K
26/05/23	08 kg	07 kg	V. Venk	33 kg	04 kg	Vijaya K
27/05/23	06 kg	06 kg	V. Venk	32 kg	05 kg	Vijaya K
28/05/23	07 kg	02 kg	V. Venk	36 kg	06 kg	Vijaya K
29/05/23	06 kg	09 kg	V. Venk	33 kg	05 kg	Vijaya K
30/05/23	07 kg	08 kg	V. Venk	36 kg	04 kg	Vijaya K
31/05/23	06 kg	06 kg	V. Venk	38 kg	06 kg	Vijaya K
			V. Venk	34 kg	03 kg	Vijaya K

Gayathri Supervisor e- Vijaya K.  
IQAC AQAP-III

Principal

which  
to good

-mail  
ten

er can  
blood  
itute!

e: Internet

# JUNE-2023 - FOOD WASTE

DATE	COLLECTED IN SIDE WASTE	COLLECTED OUT SIDE WASTE	SIGNATURE	HASTEL IN INSIDE WASTE	HASTEL FOOD WASTE	Signature	DATE	CO SI
01/06/23	06.kg	8.kg	V-U	33.kg	05.kg	Vijayak	01/07/23	0
02/06/23	05.kg	7.kg	V-U	34.kg	06.kg	Vijayak	02/07/23	0
03/06/23	07.kg	06.kg	V-U	36.kg	06.kg	Vijayak	03/07/23	0
04/06/23	06.kg	07.kg	V-U	37.kg	05.kg	Vijayak	04/07/23	0
05/06/23	05.kg	08.kg	V-U	33.kg	06.kg	Vijayak	05/07/23	0
06/06/23	06.kg	06.kg	V-U	35.kg	06.kg	Vijayak	06/07/23	0
07/06/23	08.kg	07.kg	V-U	36.kg	03.kg	Vijayak	07/07/23	0
08/06/23	06.kg	08.kg	V-U	33.kg	04.kg	Vijayak	08/07/23	0
09/06/23	05.kg	08.kg	V-U	32.kg	03.kg	Vijayak	09/07/23	0
10/06/23	07.kg	07.kg	V-U	33.kg	3.42.kg	Vijayak	10/07/23	0
11/06/23	06.kg	06.kg	V-U	36.kg	4.kg	Vijayak	11/07/23	0
12/06/23	05.kg	09.kg	V-U	38.kg	4.1/2.kg	Vijayak	12/07/23	0
13/06/23	05.kg	7.kg	V-U	35.kg	4.kg	Vijayak	13/07/23	0
14/06/23	06.kg	08.kg	V-U	34.kg	5.kg	Vijayak	14/07/23	0
15/06/23	08.kg	07.kg	V-U	30.kg	03.kg	Vijayak	15/07/23	0
16/06/23	07.kg	06.kg	V-U	36.kg	04.kg	Vijayak	16/07/23	0
17/06/23	08.kg	07.kg	V-U	34.kg	03.kg	Vijayak	17/07/23	0
18/06/23	07.kg	09.kg	V-U	33.kg	03.kg	Vijayak	18/07/23	0
19/06/23	06.kg	08.kg	V-U	34.kg	06.kg	Vijayak	19/07/23	0
20/06/23	08.kg	07.kg	V-U	36.kg	03.kg	Vijayak	20/07/23	0
21/06/23	05.kg	09.kg	V-U	38.kg	05.kg	Vijayak	21/07/23	0
22/06/23	05.kg	08.kg	V-U	37.kg	06.kg	Vijayak	22/07/23	0
23/06/23	06.kg	07.kg	V-U	36.kg	04.kg	Vijayak	23/07/23	0
24/06/23	07.kg	08.kg	V-U	35.kg	05.kg	Vijayak	24/07/23	0
25/06/23	08.kg	07.kg	V-U	34.kg	03.kg	Vijayak	25/07/23	0
26/06/23	05.kg	8.kg	V-U	36.kg	06.kg	Vijayak	26/07/23	0
27/06/23	06.kg	07.kg	V-U	38.kg	03.kg	Vijayak	27/07/23	0
28/06/23	07.kg	09.kg	V-U	32.kg	06.kg	Vijayak	28/07/23	0
29/06/23	06.kg	08.kg	V-U	34.kg	03.kg	Vijayak	29/07/23	0
30/06/23	05.kg	07.kg	V-U	36.kg	06.kg	Vijayak	30/07/23	0

Gayathri

QAC AQAR-III

Sri Devaraj Urs College of Nursing  
Tamaka, Kolar-563103

Supervisor: Vijayak

Principal

Sri Devaraj Urs College of Nursing  
Tamaka, Kolar-563103

## JULY MONTH FOOD WASTE - 2023

DATE	COLLECTED FROM SIDE WASTE	COLLECTED FROM SIDE WASTE	SIGNATURE	WASTE IN SIDE WASTE	WASTE FROM WASTE	SIGNATURE
1/7/23	05.kg	07.kg	VW	36.kg	04.kg	Vijayk
2/7/23	06.kg	06.kg	VW	37.kg	03.kg	Vijayk
3/7/23	05.kg	08.kg	VW	35.kg	02.kg	Vijayk
4/7/23	04.kg	07.kg	VW	34.kg	02.kg	Vijayk
5/7/23	06.kg	06.kg	VW	33.kg	05.kg	Vijayk
6/7/23	07.kg	07.kg	VW	32.kg	04.kg	Vijayk
7/7/23	08.kg	08.kg	VW	35.kg	03.kg	Vijayk
8/7/23	06.kg	07.kg	VW	33.kg	05.kg	Vijayk
9/7/23	07.kg	08.kg	VW	35.kg	04.kg	Vijayk
10/7/23	08.kg	07.kg	VW	36.kg	04.kg	Vijayk
11/7/23	06.kg	05.kg	VW	34.kg	03.kg	Vijayk
12/7/23	07.kg	07.kg	VW	36.kg	03.kg	Vijayk
13/7/23	06.kg	08.kg	VW	35.kg	04.kg	Vijayk
14/7/23	05.kg	06.kg	VW	36.kg	03.kg	Vijayk
15/7/23	06.kg	08.kg	VW	37.kg	05.kg	Vijayk
16/7/23	07.kg	07.kg	VW	34.kg	04.kg	Vijayk
17/7/23	05.kg	07.kg	VW	33.kg	03.kg	Vijayk
18/7/23	04.kg	08.kg	VW	34.kg	02.kg	Vijayk
19/7/23	06.kg	06.kg	VW	36.kg	04.kg	Vijayk
20/7/23	05.kg	08.kg	VW	37.kg	05.kg	Vijayk
21/7/23	05.kg	07.kg	VW	35.kg	03.kg	Vijayk
22/7/23	06.kg	06.kg	VW	33.kg	04.kg	Vijayk
23/7/23	07.kg	07.kg	VW	37.kg	05.kg	Vijayk
24/7/23	05.kg	05.kg	VW	35.kg	04.kg	Vijayk
25/7/23	06.kg	07.kg	VW	34.kg	03.kg	Vijayk
26/7/23	04.kg	08.kg	VW	33.kg	03.kg	Vijayk
27/7/23	07.kg	09.kg	VW	32.kg	04.kg	Vijayk
28/7/23	06.kg	08.kg	VW	35.kg	05.kg	Vijayk
29/7/23	05.kg	07.kg	VW	36.kg	04.kg	Vijayk
30/7/23	04.kg	06.kg	VW	35.kg	02.kg	Vijayk
31/7/23	06.kg	07.kg	VW	37.kg	3.2kg	Vijayk

Gayathri  
SUPERVISOR :-

Principal  
Sri Devaraj Urs College of Nursing  
Tamaka, Kolar-563103

# WASTE - AUGUST - 2023

Date \_\_\_\_\_  
 Page \_\_\_\_\_


Sl. No.	DATE	COLLEGE IN OUT SIDE WASTE	COLLEGE IN SIDE WASTE	SIGNATURE	HOSPITAL IN OUT WASTE	FOOD WASTE	SIGN	DATE
02	01/08/23	06.kg	05.kg	[Signature]	33.kg	03.kg	[Signature]	01/09/23
03	02/08/23	05.kg	06.kg	[Signature]	34.kg	04.kg	[Signature]	02/09/23
04	03/08/23	07.kg	06.kg	[Signature]	36.kg	03.kg	[Signature]	03/09/23
05	04/08/23	06.kg	05.kg	[Signature]	30.kg	04.kg	[Signature]	04/09/23
06	05/08/23	08.kg	06.kg	[Signature]	35.kg	04.kg	[Signature]	05/09/23
07	06/08/23	07.kg	04.kg	[Signature]	37.kg	05.kg	[Signature]	06/09/23
08	07/08/23	05.kg	07.kg	[Signature]	31.kg	04.kg	[Signature]	07/09/23
09	08/08/23	08.kg	06.kg	[Signature]	34.kg	06.kg	[Signature]	08/09/23
10	09/08/23	07.kg	05.kg	[Signature]	32.kg	04.kg	[Signature]	09/09/23
11	10/08/23	06.kg	06.kg	[Signature]	36.kg	04.kg	[Signature]	10/09/23
12	11/08/23	07.kg	05.kg	[Signature]	37.kg	03.kg	[Signature]	11/09/23
13	12/08/23	08.kg	06.kg	[Signature]	33.kg	04.kg	[Signature]	12/09/23
14	13/08/23	07.kg	05.kg	[Signature]	35.kg	03.kg	[Signature]	13/09/23
15	14/08/23	06.kg	05.kg	[Signature]	34.kg	04.kg	[Signature]	14/09/23
16	15/08/23	07.kg	06.kg	[Signature]	33.kg	4.5.kg	[Signature]	15/09/23
17	16/08/23	06.kg	07.kg	[Signature]	32.kg	5.kg	[Signature]	16/09/23
18	17/08/23	07.kg	05.kg	[Signature]	33.kg	3.kg	[Signature]	17/09/23
19	18/08/23	06.kg	06.kg	[Signature]	34.kg	04.kg	[Signature]	18/09/23
20	19/08/23	08.kg	05.kg	[Signature]	36.kg	4.kg	[Signature]	19/09/23
21	20/08/23	06.kg	07.kg	[Signature]	35.kg	3.kg	[Signature]	20/09/23
22	21/08/23	07.kg	05.kg	[Signature]	34.kg	03.kg	[Signature]	21/09/23
23	22/08/23	06.kg	06.kg	[Signature]	33.kg	04.kg	[Signature]	22/09/23
24	23/08/23	08.kg	07.kg	[Signature]	36.kg	05.kg	[Signature]	23/09/23
25	24/08/23	07.kg	05.kg	[Signature]	37.kg	03.kg	[Signature]	24/09/23
26	25/08/23	09.kg	06.kg	[Signature]	38.kg	04.kg	[Signature]	25/09/23
27	26/08/23	07.kg	04.kg	[Signature]	35.kg	05.kg	[Signature]	26/09/23
28	27/08/23	06.kg	06.kg	[Signature]	33.kg	03.kg	[Signature]	27/09/23
29	28/08/23	08.kg	07.kg	[Signature]	32.kg	05.kg	[Signature]	28/09/23
30	29/08/23	07.kg	05.kg	[Signature]	34.kg	04.kg	[Signature]	29/09/23
31	30/08/23	08.kg	06.kg	[Signature]	32.kg	04.kg	[Signature]	30/09/23
32	31/08/23	05.kg	05.kg	[Signature]	31.kg	04.kg	[Signature]	31/09/23

# WASTE - SEPTEMBER - 2023

WASTE	SIGN	DATE	COLLEGE WASTE	CUT SIDE WASTE	SIGNATURE	HOSTEL WASTE IN CUT SIDE	FOOD WASTE	SIGN
3. kg	Vijay K	01/09/23	05. kg	05 kg	V.K	30. kg	02. kg	V.K
4. kg	Vijay K	02/09/23	06. kg	06. kg	V.K	33 kg	03. kg	V.K
3. kg	Vijay K	03/09/23	05. kg	06. kg	V.K	32. kg	05. kg	V.K
4. kg	Vijay K	04/09/23	07. kg	05. kg	V.K	35. kg	06. kg	V.K
4. kg	Vijay K	05/09/23	06. kg	06. kg	V.K	34. kg	03. kg	V.K
5. kg	Vijay K	06/09/23	07. kg	05. kg	V.K	36. kg	04. kg	V.K
4. kg	Vijay K	07/09/23	05. kg	07. kg	V.K	33. kg	05. kg	V.K
6. kg	Vijay K	08/09/23	08. kg	05. kg	V.K	37. kg	06. kg	V.K
4. kg	Vijay K	09/09/23	06. kg	06. kg	V.K	35. kg	05. kg	V.K
4. kg	Vijay K	10/09/23	05. kg	05. kg	V.K	30. kg	04. kg	V.K
3. kg	Vijay K	11/09/23	06. kg	05. kg	V.K	35. kg	06. kg	V.K
4. kg	Vijay K	12/09/23	07. kg	07. kg	V.K	33. kg	05. kg	V.K
3. kg	Vijay K	13/09/23	05. kg	06. kg	V.K	32. kg	04. kg	V.K
4. kg	Vijay K	14/09/23	06. kg	05. kg	V.K	36. kg	03. kg	V.K
4. kg	Vijay K	15/09/23	07. kg	06. kg	V.K	35. kg	03. kg	V.K
4. kg	Vijay K	16/09/23	05. kg	07. kg	V.K	32. kg	04. kg	V.K
4. kg	Vijay K	17/09/23	07. kg	06. kg	V.K	34. kg	05. kg	V.K
4. kg	Vijay K	18/09/23	08. kg	08. kg	V.K	33. kg	04. kg	V.K
4. kg	Vijay K	19/09/23	05. kg	05. kg	V.K	35. kg	05. kg	V.K
4. kg	Vijay K	20/09/23	05. kg	07. kg	V.K	30. kg	03. kg	V.K
3. kg	Vijay K	21/09/23	06. kg	06. kg	V.K	32. kg	04. kg	V.K
3. kg	Vijay K	22/09/23	05. kg	07. kg	V.K	34. kg	05. kg	V.K
3. kg	Vijay K	23/09/23	07. kg	05. kg	V.K	33. kg	03. kg	V.K
3. kg	Vijay K	24/09/23	06. kg	04. kg	V.K	36. kg	02. kg	V.K
3. kg	Vijay K	25/09/23	05. kg	05. kg	V.K	38. kg	04. kg	V.K
3. kg	Vijay K	26/09/23	06. kg	06. kg	V.K	36. kg	05. kg	V.K
3. kg	Vijay K	27/09/23	07. kg	07. kg	V.K	33. kg	04. kg	V.K
3. kg	Vijay K	28/09/23	06. kg	05. kg	V.K	32. kg	03. kg	V.K
6. kg	Vijay K	29/09/23	05. kg	06. kg	V.K	36. kg	04. kg	V.K
03. kg	Vijay K	30/09/23	07. kg	07. kg	V.K	34. kg	03. kg	V.K
04. kg	Vijay K	31/09/23	07. kg	07. kg	V.K	34. kg	03. kg	V.K

Gayathri  
IQAC ASAR-III

Sri Devaraj Urs College of Nursing  
Tamaka, Kolar-563101.



Principal  
Sri Devaraj Urs College of Nursing  
Tamaka, Kolar-563103

# WASTE OF OCTOBER-2023

Date \_\_\_\_\_  
 Page \_\_\_\_\_

Sl. No.	DATE	COLLEGE WASTE	OUTSIDE WASTE	SIGNATURE	WASTE WASTE		FOOD WASTE	SIGN
					INSIDE	OUTSIDE		
1	01/10/23	6.5g	7.5g	VU	34.5g	04.5g	04.5g	[Signature]
2	02/10/23	07.5g	08.5g	VU	32.5g	08.5g	08.5g	[Signature]
3	03/10/23	06.5g	9.5g	VU	30.5g	02.5g	02.5g	[Signature]
4	04/10/23	07.5g	07.5g	VU	34.5g	03.5g	03.5g	[Signature]
5	05/10/23	05.5g	06.5g	VU	36.5g	03.5g	03.5g	[Signature]
6	06/10/23	06.5g	07.5g	VU	32.5g	02.5g	02.5g	[Signature]
7	07/10/23	05.5g	07.5g	VU	30.5g	04.5g	04.5g	[Signature]
8	08/10/23	06.5g	05.5g	VU	33.5g	05.5g	05.5g	[Signature]
9	09/10/23	06.5g	06.5g	VU	35.5g	1.5g	1.5g	[Signature]
10	10/10/23	05.5g	07.5g	V-U	36.5g	03.5g	03.5g	[Signature]
11	11/10/23	07.5g	05.5g	VU	37.5g	05.5g	05.5g	[Signature]
12	12/10/23	06.5g	07.5g	VU	31.5g	04.5g	04.5g	[Signature]
13	13/10/23	07.5g	05.5g	VU	32.5g	03.5g	03.5g	[Signature]
14	14/10/23	05.5g	06.5g	VU	30.5g	04.5g	04.5g	[Signature]
15	15/10/23	06.5g	05.5g	VU	34.5g	03.5g	03.5g	[Signature]
16	16/10/23	07.5g	06.5g	VU	33.5g	04.5g	04.5g	[Signature]
17	17/10/23	06.5g	07.5g	VU	24.5g	02.5g	02.5g	[Signature]
18	18/10/23	07.5g	05.5g	VU	36.5g	03.5g	03.5g	[Signature]
19	19/10/23	05.5g	05.5g	VU	37.5g	04.5g	04.5g	[Signature]
20	20/10/23	06.5g	06.5g	VU	34.5g	04.5g	04.5g	[Signature]
21	21/10/23	05.5g	07.5g	VU	33.5g	05.5g	05.5g	[Signature]
22	22/10/23	07.5g	06.5g	VU	30.5g	03.5g	03.5g	[Signature]
23	23/10/23	06.5g	06.5g	VU	35.5g	04.5g	04.5g	[Signature]
24	24/10/23	05.5g	05.5g	V-U	33.5g	03.5g	03.5g	[Signature]
25	25/10/23	07.5g	06.5g	VU	36.5g	02.5g	02.5g	[Signature]
26	26/10/23	06.5g	07.5g	VU	34.5g	03.5g	03.5g	[Signature]
27	27/10/23	07.5g	05.5g	V-U	36.5g	02.5g	02.5g	[Signature]
28	28/10/23	05.5g	06.5g	V-U	38.5g	04.5g	04.5g	[Signature]
29	29/10/23	06.5g	05.5g	VU	34.5g	03.5g	03.5g	[Signature]
30	30/10/23	07.5g	06.5g	VU	32.5g	02.5g	02.5g	[Signature]
31	31/10/23	05.5g	05.5g	VU	34.5g	03.5g	03.5g	[Signature]



**WASTE DT NOVEMBER - 2023**

						Signature
1/11/23	06.1g	07.1g	WU	32.1g	02.1g	Vijaya E
1/11/23	06.1g	08.1g	WU	34.1g	02.1g	Vijaya E
1/11/23	05.1g	06.1g	WU	36.1g	04.1g	Vijaya E
1/11/23	06.1g	07.1g	WU	38.1g	07.1g	Vijaya E
1/11/23	08.1g	06.1g	WU	30.1g	03.1g	Vijaya E
1/11/23	05.1g	08.1g	WU	35.1g	04.1g	Vijaya E
1/11/23	07.1g	07.1g	WU	33.1g	03.1g	Vijaya E
1/11/23	06.1g	06.1g	WU	36.1g	02.1g	Vijaya E
1/11/23	05.1g	07.1g	WU	35.1g	2.1g	Vijaya E
1/11/23	07.1g	08.1g	WU	33.1g	3.1g	Vijaya E
1/11/23	06.1g	09.1g	WU	31.1g	4.1g	Vijaya E
1/11/23	05.1g	07.1g	WU	34.1g	5.1g	Vijaya E
1/11/23	06.1g	06.1g	WU	36.1g	4.1g	Vijaya E
1/11/23	07.1g	08.1g	WU	33.1g	03.1g	Vijaya E
1/11/23	08.1g	07.1g	WU	31.1g	04.1g	Vijaya E
1/11/23	08.1g	07.1g	WU	33.1g	05.1g	Vijaya E
1/11/23	05.1g	06.1g	WU	32.1g	06.1g	Vijaya E
1/11/23	06.1g	08.1g	WU	33.1g	04.1g	Vijaya E
1/11/23	05.1g	09.1g	WU	35.1g	03.1g	Vijaya E
1/11/23	06.1g	06.1g	WU	37.1g	04.1g	Vijaya E

Gayathri  
QAC NO. 100-III

Sri Devaraj Urs College of Nursing  
Tamaka, Kolar-563101.

Principal  
Sri Devaraj Urs College of Nursing  
Tamaka, Kolar-563103



**SRI DEVARAJ URS ACADEMY OF HIGHER EDUCATION AND RESEARCH**  
(A DEEMED TO BE UNIVERSITY)

Declared under Section 3 of UGC Act, 1956, MHRD GOI No.F.9-36/2006-U.3(A) Dt. 25<sup>th</sup> May 2007  
Post Box No. 62, Tamaka, Kolar - 563 103, Karnataka, INDIA

Ph: 08152- 243244,243003, Fax : 08152 - 243008 E-mail - [registrar@sduu.ac.in](mailto:registrar@sduu.ac.in)/[office@sduu.ac.in](mailto:office@sduu.ac.in) Website: [www.sduu.ac.in](http://www.sduu.ac.in)

SUAHER/KLR/PUR/2023-24 [purchasesection@sduaher.ac.in](mailto:purchasesection@sduaher.ac.in) Date: 02<sup>nd</sup> November, 2023

To  
**Meera Environment Private Limited.,**  
BVR Lake Front, Site No. 1-4, Nagavara,  
A.C College Post, Opp. Indian Oil petrol Bunk,  
Bangalore - 560045 Mobile: 9900033941 / 9686204578 / 8105525559  
Email: [info@meeraenvirotech.com](mailto:info@meeraenvirotech.com) / [metbmw@gmail.com](mailto:metbmw@gmail.com)

Dear Sir,

**SERVICE ORDER**

Sub: Service order for **COLLECTION, TRANSPORTATION, TREATMENT AND DISPOSAL OF BIO MEDICAL WASTE IN RLJH & RC**

Ref:- Dated : 25<sup>th</sup> August, 2023 at 1.52 PM

1. The academy has placing the service contract agreement letter towards the collection, transportation and treatment and disposal of Bio Medical Waste in RLJH & RC hospital.

2. The commercial terms as under :-

Sl.No	Description	Per Month Charges
1	Bio medical waste collection, transportation, treatment and disposal in our hospital and college as per the norms of 2019 biomedical waste disposal guidelines. For 1000 beds	<b>Rs. 1,35,000/-</b> <b>Per Month Charges</b> ( Rupees One Lakh Thirty five thousand only) + GST 12 % is applicable

3. Consumable part as under :-

- i. Poly Bags (22 X 30) Size 160 GSM - Green color for Rs. 5.00/- + GST
- ii. Poly Bags (22 X 30) Size 160 GSM - Yellow color for Rs. 5.00/- + GST
- iii. Poly Bags (22 X 30) Size 160 GSM - Red color for Rs. 5.00/- + GST
- iv. Poly Bags (22 X 30) Size 160 GSM - Blue color for Rs. 5.00/- +GST
- v. Bar code stickers L-48 size (48 Labels per sheet) for Rs. 0.75 /- + GST.
- vi. Printing charts of 100 Nos will be free has to supply.
- vii. Contract duration : One year
- viii. The release of monthly bill amount subject to VERIFICATION from the concerned Housekeeping and competent authority.
- ix. As per the MOU the Other terms and Conditions as applicable.

Business or Company Name	Institution Name
Complete Company Name	Sri Devaraj Urs Academy of Higher Education & Research.
Complete Shipping address (Server Location with GST no. with PAN number	Sri Devaraj Urs Academy of Higher Education & Research, KOLAR - 563103 GST NO. :- 29AAATS5344P1ZT PAN : AAATS5344P
Complete Billing address with GST No. with PAN number	<b>The Registrar,</b> Sri Devaraj Urs Academy of Higher Education & Research, KOLAR - 563103 GST NO. :- 29AAATS5344P1ZT PAN : AAATS5344P
Contact Person Name	<b>ZEANATH CARIENA JOSEPH</b>
Contact Person Number	9880609853
Contact Person email id	<a href="mailto:cno@sduaher.ac.in">cno@sduaher.ac.in</a>

Work related to BMW for Hospital

*Gayathri*  
IOAC AQAR-22

Sri Devaraj Urs College of Nursing  
Tamaka, Kolar-563101.

*[Signature]*  
Principal

Sri Devaraj Urs College of Nursing  
Tamaka, Kolar-563103

*[Signature]*  
Purchase officer  
Sri Devaraj Urs Academy of  
Higher Education & Research  
Tamaka, Kolar